



**Yu Lei DANG,**

Jining normal universiteti o'qituvchisi, ichki Mug'uliston, Xitoy.

O'zbekiston Milliy universiteti tayanch doktoranti

E-mail: 332530804@qq.com.

**Rustamjon ALLABERDIYEV,**

O'zbekiston Milliy universiteti dotsenti, b.f.n

E-mail: a-rustam@rambler.ru

**Nurbek KUCHKAROV,**

O'zbekiston Milliy universiteti dotsenti, PhD

O'zMU professori, b.f.d T.Raximova tagrizi asosida

## MEDICINAL PROPERTIES AND APPLICATION OF SOME SPECIES OF PAEONIA L

### Annotation

*Paeonia* are known throughout the world for their medicinal and ornamental properties. This article provides detailed information about the medicinal properties of *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. In these kinds of peonies, biologically active substances accumulate in leaves, roots and other organs. Therefore, they can be used in modern medicine for a wide range.

**Key words:** *Paeonia*, *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. medicinal value, root bark, petal, bioactive substances.

## ЛЕКАРСТВЕННЫЕ СВОЙСТВА НЕКОТОРЫХ ВИДОВ РОДА PAEONIA L. И ИХ ПРИМЕНЕНИЕ В МЕДИЦИНЕ

### Аннотация

*Paeonia* известны во всем мире своими лекарственными и декоративными свойствами. В этой статье подробно представлена информация о лечебных свойствах видов. *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. у этих видов пионов биологически активные вещества накапливаются в листьях, корнях и других органах. Поэтому они могут быть использованы с этой целью в современной медицине для широкого спектра.

**Ключевые слова:** *Paeonia*, *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. лекарственное значение, кора корня, лепесток, биологически активные вещества.

## PAEONIA L. AYRIM TURLARINING DORIVORLIK XUSUSIYATLARI VA TIBBIYOTDA ISHLATILISHI

### Annotatsiya

*Paeonia* o'zining dorivor va manzaraliligi bilan dunyoga mashhur. Ushbu maqolada turlarning shifobaxshlik xususiyatlari haqida ma'lumotlar keltirilgan. *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. turlarida biologik faol moddalar bargida, ildizlarida va boshqa organlarda to'planadi. Shuning uchun ulardan zamonaviy tabobatda keng maqsadlarda ishlatish mumkin.

**Kalit so'zlar:** *Paeonia*, *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. dorivor qiymati, ildiz pustlog'i, gulbarglari, biofaol moddalar.


*Paeonia* turlari dunyo miqyosida dorivor va manzarali o'simlik sifatida qadrlanadi [1] Ushbu turkum vakillari Yunoniston va Rimda o'rta asrlarda keng ishlatilgan bo'lib, insonlar dorivorlik xususiyatlarini qadimdan bilishgan [2]. Piyon ildizlari biologik faol moddalar manbai bo'lib, pirren, fenol, flavonoidlar, efir moylari, steroid, tanin va bir qator minerallarga boy hisoblanadi [3,4,5]. Piyon ildizlari kuchli dorivorlik xususiyatiga ega bo'lib, Xitoy tibbiyotida "Dan Pi" deb atalgan. Insonlarda yurak-qon tizimini yaxshilab, qonning aylanishini, uning turg'unligini bartaraf etishda katta ahamiyatga ega. Undan tashqari shishlarni kamaytiradi hamda og'riqni yengillashtiradi [6]. Shuningdek u allergiyaga, yallig'lanishga qarshi xususiyatlarga ham ega ekanligi bilan ham ajralib turadi [7,8]. Piyonning biologik faol moddalar mushaklar spazmini bartaraf etish, surunkali virusli hepatitni davolashda yordam beradi. Ildizidan tashqari gullari ham dorivorlik xususiyatlari yallig'lanishga qarshi hamda antioksidantlik ta'sirga ega [9]. Piyonning gulbarglari antioksidant faollikkasi ega bo'lib, qarish jarayonlaridagi ateroskleroz, saraton kasalliklari kelib chiqishining profilaktikasi maqsadlarida undan funksional oziq-ovqat va dori-darmon sifatida foydalanish mumkin [10]. Funksional oziq-ovqat manbai sifatida uning urug'laridan ham foydalanish so'nggi yillarda birmuncha oshgan, uni tarkibida monoterpen glikozidlari va fenol birikmalariga boyligi bilan ajralib turadi. Shuning uchun olimlar tomonidan kimyoviy tarkibi bo'yicha ilmiy-tadqiqot ishlari olib borilgan bo'lib, unda flavonoidlar tarkibi, fenol miqdori, takoferol, antioksidantlar tarkibi tahlillari amalga oshirilgan [11]. Sariq gulli piyon navlaridan flavonoidlar, glikozidlari hamda gulbargida yuqori darajada antioksidant mayjud ekanligi aniqlangan [12]. *Paeonia rockii* va *Paeonia ostii* urug'laridan organik yog'lar olish mumkin hamda yuqori iqtisodiy samaradorlikka ega [13]. *Paeonia officinalis* asosan Fransiya, Shveysariya va Italiyaning shimolida, shimoliy Albaniyaga qadar keng tarqalgan. Hozirda butun shimoliy yarim sharda uchraydi [14,15].

*Paeonia officinalis* Yevropada ko'p yillar davomida xo'jalik maqsadida ishlatilib kelinadi. Ildizidan tibbiyotda 2000 yildan ortiq vaqt davomida foydalaniladi, undan turli kasalliklarni epilipsiya, hayz ko'rishni rag'barlantirishda, shuningdek

antispazmatik, diuretik, tinchlantiruvchi vosita sifatida, asab kasalliklarini davolashda ko'k yo'tal, varikoz tomirlarini bartaraf etishda ildizidan tayyorlangan ekstraktlardan foydalaniladi [1,16,17].

*Paeonia officinalis* Xitoy, Hindistonda tibbiyot sohasida dorivor o'simlik sifatida keng foydalaniladi. Asabni mustahkamlash, yuz falajini davolash, yallig'lanishga qarshi, hotirani ko'chaytrish, nevrologik kasalliklarni davolash uchun ishlatalish mumkin [18]. Undan olingan biologik faol moddalar gepatit umuman jigar disfunksiyasi bilan bog'liq kasalliklarni davolashda katta ahamiyatga ega [19].

*Paeonia officinalis* o'simligidan nafas olish kasalliklarini davolash uchun ham foydalanish mumkin [20,21]. Uning ildizlari yaraga qarshi va gepatoprotektiv ta'sirga ega [22]. Uning ildizi tarkibida alkaloidlar, taninlar, steroidlar va oqsillar mavjud. Zaharlanishga qarshi vosita sifatida qo'llash mumkin [23]. Undan tashqari gepatit S va boshqa jigar kasalliklarini davolashda qo'llash mumkin [24]. Ildizlaridan tashqari, uning gullarida ham bir qator biologik faol moddalarini jumladan; fenol birikmlari, flavonoidlar, taninlar mavjud [25,26,27].



1-rasm. *Paeonia officinalis* ning inson organizmini davolashda turli kasalliklarga qarshi xususiyatlari.

Uning tarkibidagi alkaloidlar gemostatik funksiyaga ega. [28] Manzarali va shifobaxsh o'simlik *Paeonia officinalis* hozirda Markaziy Osiyoroda ko'p yetishtirilib, O'zbekiston Milliy universitetining Botanika bog'ida ekilgan. Kelgusida biz *Paeonia officinalis*, *Paeonia suffruticosa* Andr., *Paeonia lactiflora* Pall. turlarini bioekologik, biomorfologik va fiziologik (suv rejimi) xususiyatlari, shuningdek, uning dorivorlik ahamiyatini rivojlantirish borasida tadqiqot ishlarini davom ettiramiz.

#### ADABIYOTLAR

- Ahmad F., Tabassum N., Rasool S. Medicinal uses and phytoconstituents of *Paeonia officinalis* // International Research Journal of Pharmacy. 2012, Vol. 3, No. 4. - P. 85-87.
- Bettina Rainer, Silvia Revoltella, Fabian Mayr et al. From bench to counter: Discovery and validation of a peony extract as tyrosinase inhibiting cosmeceutical. European Journal of Medicinal Chemistry. 2019, 184, P. 1-9.
- Hamid Reza Monsef-Esfahani, Armin Rafizadeh, Paria Sharafi-Badr, et al. Evaluation of Sedative and Hypnotic Effects and Acute Toxicity of *Paeonia daurica* subsp. *macrophylla* (Albov) D.Y. Hong Root Extracts in Mice. Research Journal of Pharmacognosy (RJP). 2023, Vol. 10, No. 4, P. 5-8.
- Hamta Madari, Robert S. Jacobs. An Analysis of Cytotoxic Botanical Formulations Used in the Traditional Medicine of Ancient Persia as Abortifacients. J.Nat.Prod. 2004, 67, P. 1204-1210.
- Sunil Kumar, Kshirod Kumar Ratha, Meda Mruthymjaya Rao, Rabinarayan Acharya. A comprehensive review on the phytochemistry, pharmacological, ethnobotany, and traditional uses of *Paeonia* species. Journal of Herbmed Pharmacology. 2023, Vol. 12, No. 1, P. 13-24. DOI: 10.34172/jhp.2023.02.
- Fan ming, Qiu yan, Fan rong. Paeonol in different origins of peony cortex measurement // Fujian Journal of TCM. 1999, Vol. 30, No. 4, - P. 41.
- Hyo Jin Kim, Eun Ju Chang, Sung Hee Cho, et al. Antioxidative Activity of Resveratrol and Its Derivatives Isolated from Seeds of *Paeonia lactiflora* // Biosci. Biotechnol. Biochem. 2002, Vol. 66, No. 9, - P. 1990-1993.
- Sung-Kwan Hong, Youn-Sub Kim, Hye-Young Yang, et al. Aqueous extract of *Paeonia radix* suppresses lipopolysaccharide-induced expressions of cyclooxygenase-2 and inducible nitric oxide synthase in mouse BV2 microglial cells // Oriental Pharmacy and Experimental Medicine. 2008, Vol. 7, No. 5, - P. 540-548. DOI: 10.3742/OPEM.2008.7.5.540.
- Kim J.H, Y.B. Choi, H.J. Lee, et al. Fourier transform ion cyclotron resonance (FT-ICR) MASS spectrophotometric analysis of flower petal from *Paeonia lactiflora* cv. Red Charm and evaluation of its functional activity // Korean J. Plant Res. 2016, Vol. 29, No. 5, - P. 588-597.
- CHONGHUI LI, HUI DU, LIANGSHENG WANG, et al. Flavonoid Composition and Antioxidant Activity of Tree Peony (*Paeonia* Section *Moutan*) Yellow Flowers // Journal of Agricultural and Food Chemistry. 2009, 57, - P. 8496-8503. DOI: 10.1021/jf902103b.
- Zhenguo Yan, Lihang Xie, Yao Tian, Mengchen Li, Jing Ni, Yanlong Zhang and Lixin Niu. Insights into the Phytochemical Composition and Bioactivities of Seeds from Wild Peony Species. Plants 2020, P. 729. DOI: 10.3390/plants9060729.
- Chonghui Li, Hui Du, Liang Sheng Wang, et al. Flavonoid Composition and Antioxidant Activity of Tree Peony (*Paeonia* Section *Moutan*) Yellow Flowers. J. Agric. Food Chem., Vol. 57, No. 18, 2009. P. 8496-8503. DOI: 10.1021/jf902103b.

13. Zhang Shanshan, Zhao Fan, Wei Xiaobao, et al. Comparison of Seed Oil Fatty Acids Between *Paeonia ostii* Feng Dan and *P. rockii* from 6 Regions // Journal of the Chinese Cereals and Oils Association. 2021, Vol. 36, No. 3, - P. 85-90.
14. Graeme Tobyn, Alison Denham, Margaret Whitelegg. *Paeonia officinalis*, peony // THE WESTERN HERBAL TRADITION. 2011, - P. 231-239.
15. Hamta Madari, Robert S.Jacobs. An Analysis of Cytotoxic Botanical Formulations Used in the Traditional Medicine of Ancient Persia as Abortifacients. J. Nat. Prod. 2004, 67, P. 1204-1210.
16. Mohammad Zangooei pourfard, Seyed Jamal Mirmoosavi, Mehran Beiraghi Toosi, et al. Efficacy and tolerability of hydroalcoholic extract of *Paeonia officinalis* in children with intractable epilepsy: An open-label pilot study. Epilepsy Research 2021, Vol. 176, P. 1-5.
17. Shamim Sahranavard, Saeedeh Ghafari, Mahmoud Mosaddegh. Medicinal plants used in Iranian traditional medicine to treat epilepsy // Seizure. 2014, 23, - P. 328-332.
18. Anupama Koneru, S. Satyanarayana, K. Mukkanti, et al. Protective activity of Hab-e-jund a unani formulation against convulsions in mice. Pharmacology online. 2009, Vol. 3, P. 724-731.
19. Priya Kashyap, Himanshi Choudhary, Suresh Kumar. Dual anticholinesterase and antioxidant activity of selected plants used in Unani medicines and in silico studies of identified compounds from UPLC-QTOF analysis. Journal of Herbal Medicine. 2023, 41, P. 1-9.
20. Sakhatska Inna Mykhailivna, Zakharchuk Oleksandr Ivanovych, Horoshko Oleksandra Marianivna, Ezhned Mariia Akhmedivna. HERBAL PREPARATIONS FOR THE PREVENTION OF OPHTHALMIC DISEASES. Grail of Science. 2023, 29, P. 373-376. DOI: 10.36074/grail-of-science.07.07.2023.064.
21. Valentina MANCAS, Sonia AMARIEI. Total Phenolic Content and Antioxidant activity of syrups from peony (*Paeonia peregrina* Mill. Var. romanica) and Rose (*Rosa centifolia*) Petals. Journal of Faculty of Food Engineering. 2016, Vol. XV, No. 1, P. 95-100.
22. Feroz Ahmad, Nahida Tabassum. Effect of 70 % ethanolic extract of roots of *Paeonia officinalis* Linn. on hepatotoxicity // Journal of Acute Medicine. 2013, 3, - P. 45-49.
23. Feroz Ahmad, Nahida Tabassum. Preliminary phytochemical, acute oral toxicity and antihepatotoxic study of roots of *Paeonia officinalis* Linn. // Asian Pacific Journal of Tropical Biomedicine. 2013, Vol. 3, No.1, - P. 64-68. doi:10.1016/S2221-1691(13)60025-8.
24. E. BARBINTA-PATRASCU, N. BADEA, C. UNGUREANU, A. ISPAS. Photophysical aspects regarding the effects of *Paeonia officinalis* flower extract on DNA molecule labelled with methylene blue. OPT OELECTRONICS AND ADVANCED MATERIALS-RAPID COMMUNICATIONS. 2019, Vol. 13, No. 1-2, P. 131-135.
25. SIMONA OANCEA, MIRABELA PERJU, HOREA OLOSUTEAN. Influence of enzyme-aided extraction and ultrasonication on the phenolics content and antioxidant activity of *Paeonia officinalis* L. petals // Journal of the Serbian Chemical Society. 2020, Vol. 85, No. 7, - P. 845-856.
26. Shoji Shibata. Some Recent Studies on the Oriental Plant Drugs. The Biologically Active Principles of Peony and Ginseng Roots. Journal of the Pharmaceutical Society of Korea. 1972, Vol. 16, P. 1-12.
27. Lijana Dienaite, Milda Pukalskiene, Audrius Pukalskas, et al. Isolation of Strong Antioxidants from *Paeonia officinalis* Roots and Leaves and Evaluation of Their Bioactivities // Antioxidant Activity of Polyphenolic Plant Extracts. 2019, Vol. 8, No. 8, - P. 249.
28. DUANE G. WENZEL, ALBERT R. HASKELL. Pharmacological Actions of *Paeonia officinalis* // Journal of the American Pharmaceutical Association. 1952, Vol. XLI, No. 3, - P. 162-164.